

LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP STAGE 1)



Legend

Building Type				
C	Cottage			
н	House			
SDR	Specific Design Requirements (refer to Operative Provision No.12)			
	Development Area Subject to Site Coverage, Setback and BTL requirements (refer to Operative Provisions No. 3 and No. 6)			
28.23	Datum and Pad Level (refer Provision No. 5)			
+ 28.00	Spot Levels			
	Zone in which Verandahs and other Enchroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)			
	Build-to-line (BTL) (refer to Operative Provision No. 6)			
	Indicative Retaining Wall Locations			
	No Vehicular Access			
1	Principal Boundary			
2	Side Boundary (North)			

LOT 311

1

T4

Interior

STAGE

TRANSECT

AREA (APPROX M²) 360 LOT FRONTAGE 12m

LOT TYPE

- 3 Side Boundary (South)
- 4 Rear Boundary

Lot 311 forms part of the Stage 1 Local Development Plan (LDP) Area. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 311. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the LDP Part 1 document.

Specific Requirements

ITEM	DESCRIPTION	REQUIREMENT	
1	Site Works		
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions	
b.	Stormwater Management	Refer - Private Realm Operative Provisions	
С.	Retaining Walls	Refer - Private Realm Operative Provisions	
2	Number of Dwellings on Lot		
a.	Maximum Number of Single Residential Dwellings	One (1)	
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A	
С.	Ancillary Unit	Permitted	
3	Dwelling Controls		
a.	Maximum Lot Coverage	75%	
b.	Permitted Building Types	House, Cottage	
C.	Lot Type Designation	Interior Lot	
d.	Permitted Building Dispositions	Edgeyard and Courtyard	

ITEM DESCRIPTION		REQUIREMENT	
4	Plinths		
a.	Is a Plinth required for this Lot?	Yes	
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Battered Lot	
		(Battering located within front portion of lot as part of civil construction)	
С.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	Yes - Building will need to integrate a Plinth with the Battered section of lot - Wall, Retaining Wall or Pier and Infill.	
d.	Required building element to attach to the Plinth	Verandah	
5	Building Heights		
a.	Maximum No of Storeys	2 storeys plus loft	
b.	Maximum External Wall Height	7.5 metre	
C.	Lot Datum (from which Building Height is measured)	28.23 AHD	

	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT
5	Setbacks and Build-to-Lines		9.	Garaging, Parking and Vehicle A	ccess
ì.	Principal Setback Line	Is parallel to and located 3.5 metres from the Principal	a.	Garaging required for this minimum number of cars	2
).	Secondary Setback Line	Boundary within the Lot. N/A	b.	Additional garaging requirement for Ancillary Unit	Nil
	Side Setback Line (North)	Is parallel to and located 1.0 metre from the Side Boundary	с.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Side Boundary (north & south)
		(north) within the Lot. A portion of one (1) of the Side Setback Lines (either north or south) may be located on the relevant Side Boundary, for a distance of up to 12 metres	d.	Permitted Garage Disposition	Rear Direct , Rear Side Stack
			10. a.	Attached and Sideyard Walling Type of Walling required	Attached
			а. 11.	Privacy	Attacheu
		measured from the Rear Boundary.	а.	Privacy Restrictions on 1st floor and	••••••
	Side Setback Line (South)	Is parallel to and located 1.0m from the Side Boundary (south) within the Lot.		 Principal Elevation Rear Elevation on or adjacent to rear boundary 	Nil Nil
	Deer Cathool Jine	A portion of one (1) of the Side Setback Lines (either north or south) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.		iii. Rear elevation internal to a Lot	 Openings (other than Balconies, Verandahs or terraces) to be setback 2m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows; Verandahs, terraces and
<u>.</u>	Rear Setback Line Build-to-Line (BTL) Location	Is located on the Rear Boundary Yes. Is parallel to and located 3.5 metres from the Principal			Balconies to be setback a minimum of 4.5m from a Side Boundary, unless
		Boundary within the Lot as shown on Plan.	•••••	••••••	Screened.
 J.	BTL Percentage	80%	•••••	iv. Secondary Elevation	N/A
7.	Permitted Encroachments			v. Side Elevation (north)	Open Outlook.
l.	Encroachments in Principal Setbac	k			 Openings permitted. Verandahs, terraces and
	i. Permitted Encroachments into Principal Setback	Verandahs, Balconies, Eaves, Shade Devices, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element		vi. Side Elevation (south)	Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook
	ii. Extent to which Permitted Encroachments may encroach into the Principal	2.5 metres measured from the Principal Setback Line. An exception to this is Steps, which			Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: • is a Celestial Window; or
	Setback	are not restricted.			• is Screened; or
). • • • • • • •	Encroachments into Secondary Set	••••••			is fitted with Opaque Glass.
		N/A	12.	Specific Design Requirement	
• • • • • • •	ii. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback	N/A	a.	Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	N/A
	i. Permitted Encroachments	Side Setback (North and South)	13.	Refuse storage enclosures and c	ollection
	into Side Setback	- Eaves, Shade Devices and Attached Walls	a.	Required Bin Storage	Storage for 2 bins provided within the Lot and screened fror public view
	• • • • • • • • • • • • • • • • • • • •	Side Setback (North and South) - Restricted by the BCA and the tolerances of any retaining walls	b.	Required Bin Collection Point Location (required by the City of Wanneroo)	N/A
	Encroachments into Rear Setback. i. Permitted Encroachments	N/A	14.	Landscaping + Street Trees	Refer - Private Realm Operative Provisions
	into Rear Setback ii. Extent to which Permitted Encroachments may	N/A	15.	External Fixtures	Refer - Private Realm Operative Provisions
	encroach into a Rear Setback	quirements	16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions
	Frontage/ Principal Elevation Re Required Private Frontage Type	Verandah.	17.	Exemptions to Planning	Refer - Private Realm
а. •••••• Э.	Permitted Principal Building Elevation Types	Straight Front, Projecting Front, a Return Verandah, a Projecting	18.	Approval No modification of building elements provided by JIndee	Operative Provisions Refer - Private Realm Operative Provisions