

## LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 10.0)

LOT 236
TRANSECT T4
LOT TYPE Corner
AREA (APPROX M²) 637
LOT FRONTAGE 27.7m / 12.6m



## Legend

## **Building Type**

H House Type

APT Apartment House Type

Specific Design Requirements (refer to Operative Provision No.12)

Development Area (Subject to Site Coverage, Setback and BTL requirements refer to Operative Provisions No. 3 and No. 6)

Build-to-line (BTL) (refer to Operative Provision No. 6)

23.67 Datum and Pad Level (refer Operative Provision No. 5)

+23.25 Spot Levels

Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Entry Steps

Indicative Retaining Wall Locations

—-— Retaining Wall Type 2

— No Vehicular Access

Indicative Services Area

1a+1b Principal Boundary

Side Boundary (North)Side Boundary (East)

4 Rear Boundary

Proposed Light Pole Location

Lot 236 forms part of Local Development Plan (LDP) 10.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 236. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

## **Specific Requirements**

ITEM	DESCRIPTION	TION REQUIREMENT			
1	Site Works				
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions			
b.	Stormwater Management	Refer - Private Realm Operative Provisions			
C.	Retaining Walls	Refer - Private Realm Operative Provisions			
2	Number of Dwellings on Lot				
a.	Maximum Number of Single Residential Dwellings	One (1)			
b.	Maximum Number of Dwellings Permitted for an Apartment House	As determined by the extent of development provisions contained in the LDP.			
C.	Ancillary Unit	Permitted			
3	<b>Dwelling Controls</b>				
a.	Maximum Lot Coverage	80%			
b.	Permitted Building Types	House, Apartment House			
C.	Lot Type Designation	Corner Lot			
d.	Permitted Building Dispositions	Edgeyard, Courtyard			
e.	Required Terrace Grouping	N/A			

ITEM	DESCRIPTION	REQUIREMENT	
4	Plinths		
a.	Is a Plinth required for this Lot?	Yes	
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall as shown on plan	
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No	
d.	Required building element to attach to the Plinth	Verandah	
5	Building Heights		
a.	Maximum No of Storeys	2 storeys plus loft	
b.	Maximum External Wall Height	7.5 metres	
C.	Lot Datum (from which Building Height is measured)	23.67 AHD	

ITEM	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT	
6	Setbacks and Build-to-Lines		9.	Garaging, Parking and Vehicle Access		
a.	Principal Setback Line	1a + b) is parallel to and located 2.35 metres from the Principal Boundary, for alength of 35.57 metres measured from the Side Setback Line within the Lot.	a.	Garaging required for this minimum number of cars	House - 2 bays  Apartment House -  1 bay/ 1 bedroom dwelling  2 bays/ 2+ bedroom dwelling	
b. c.	Secondary Setback Line Side Setback Line (North)	N/A Is parallel to and located 1.0 metre	b.	Additional garaging requirement for Ancillary Unit, if provided	Nil	
		from the Side Boundary (North) within the Lot.	С.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Side Boundary (North + East).	
		A portion of one (1) of the Side Setback Lines (North or East) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.	d.	Permitted Garage Disposition	Rear Direct , Rear Side Stack, Rear Back Court, Rear Side Court.	
			10.	Attached Fencing and Sideyard Wal		
			a. <b>11.</b>	Type required  Privacy	Attached Fence	
d.	Side Setback Line (East)	Is parallel to and located 1.0 metre from the Side Boundary (East) within the Lot.	a.	Privacy Restrictions on 1st floor and ab	oove Nil	
		A portion of one (1) of the Side Setback Lines (North or East) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.		i. Principal Elevation Nil  ii. Rear Elevation on or adjacent to rear boundary  iii. Rear elevation internal to a Lot Openings (other than Balconie Verandahs or terraces) to be setback 2.0m from Side		
e.	Rear Setback Line Build-to-Line (BTL) Location	Is located on the Rear Boundary  BTL 1) is parallel to and located 2.35 metres from the Principal Boundary for a length of 25.27 metres, measured 1.0m metre from the Side Boundary (North), and			Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;  Verandahs, Terraces and Balconies to be setback a minimum of 4.5m from a Side Boundary, unless Screened.	
		BTL 2) is parallel to and located 2.35 metres from the Principal Boundary for a length of 10.3 metres, measured 1.0 metre from the Side Boundary (East).	•••••	iv. Secondary Elevation v. Side Elevation (North)	N/A Open Outlook.  Openings permitted.	
g.	BTL Percentage	BTL 1) 80% and BTL 2) 80%			Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side	
h	Required Parapet Wall Location  Permitted Encroachments	N/A The extent to which any		Cids Flauncian (Face)	Boundary, unless Screened.	
		Encroachment can encroach into any setback must take into account the BCA (as amended from time to time) and engineering tolerances and limitations of any retaining walls.		vi. Side Elevation (East)	Open Outlook.  Openings permitted.  Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.	
а.	Encroachments beyond Principal Setb	ack	12.	Specific Design Requirement		
	i. Permitted Encroachments beyond the Principal Setback (1a + b)	Verandahs, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element	a.	Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	Yes. Corner Treatment or Double Verandah.	
•••••	ii. Extent to which Permitted	2.35 metres measured from the	13.	Refuse storage enclosures and colle		
	Encroachments may encroach beyond the Principal Setback	Principal Setback Line (1a +1b)	a.	Required Bin Storage	Storage for 3 bins provided within the Lot and screened from public view	
b.	Encroachments beyond Secondary Setback     i. Permitted Encroachments N/A     beyond the Secondary Setback			Required Bin Collection Point Location (required by the City of Wanneroo)	N/A	
•••••	ii. Extent to which Permitted Encroachments may encroach beyond the Secondary Setback	N/A	14.	Landscaping + Street Trees	Refer - Private Realm Operative Provisions	
С.	Encroachments into Side Setback		15.	External Fixtures	Refer - Private Realm Operative Provisions	
******	i. Permitted Encroachments into Side Setback (North + East)	Eaves, Shade Devices and Attached Fences.	16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions	
d.	d. Encroachments into Rear Setback. i. Permitted Encroachments into N/A			Exemptions to Planning Approval	Refer - Private Realm Operative Provisions	
8.	Rear Setback		18.	No modification of building elements provided by Jindee Developer without Consent	Refer - Private Realm Operative Provisions	
a. b.	Required Private Frontage Type Permitted Principal Building Elevation Types	Verandah.  Projecting Front, a Return Verandah, a Projecting Front and a Return Verandah, a Double Return Verandah, a Double Verandah, and a Double Projecting Front.				