

LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 10.0)

LOT 260
TRANSECT T4
LOT TYPE Corner
AREA (APPROX M²) 300
LOT FRONTAGE 10m



Legend

Building Type

- c Cottage Type
- H House Type



Specific Design Requirements (refer to Operative Provision No.12)

Development Area (Subject to Site Coverage, Setback and BTL requirements refer to Operative Provisions No. 3 and No. 6)

Required Sideyard Wall (refer to Operative Provision No. 10)

Build-to-line (BTL) (refer to Operative Provision No. 6)

26.15 Datum and Pad Level (refer Operative Provision No. 5)

+26.00 Spot Levels

Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Entry Steps

Indicative Retaining Wall Locations

—-— Retaining Wall Type 2

— No Vehicular Access

Indicative Services Area

Principal Boundary

Secondary Boundary

3 Side Boundary (East)

4 Side Boundary (West)

5 Rear Boundary

Lot 260 forms part of Local Development Plan (LDP) 10.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 260. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

Specific Requirements

ITEM	DESCRIPTION	REQUIREMENT
1	Site Works	
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions
b.	Stormwater Management	Refer - Private Realm Operative Provisions
C.	Retaining Walls	Refer - Private Realm Operative Provisions
2	Number of Dwellings on Lot	
a.	Maximum Number of Single Residential Dwellings	One (1)
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A
С.	Ancillary Unit	Permitted
3	Dwelling Controls	
a.	Maximum Lot Coverage	75%
b.	Permitted Building Types	Cottage, House
С.	Lot Type Designation	Corner Lot
d.	Permitted Building Dispositions	Edgeyard, Courtyard
e.	Required Terrace Grouping	N/A

ITEM	DESCRIPTION	REQUIREMENT
4	Plinths	
a.	Is a Plinth required for this Lot?	Yes
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall as shown on Plan
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No
d.	Required building element to attach to the Plinth	Verandah
5	Building Heights	
a.	Maximum No of Storeys	2 storeys plus loft
b.	Maximum Height	7.5 metres
C.	Lot Datum (from which Building Height is measured)	25.90 AHD/ 26.10 AHD

ITEM	DESCRIPTION	REQUIREMENT
6	Setbacks and Build-to-Lines	
a.	Principal Setback Line	Is parallel to and located 2.7 metres from the Principal Boundary, for a length of 6.3 metres measured from the Secondary Setback Line within the Lot.
b.	Secondary Setback Line	Is parallel to and located 2.7 metres from the Secondary Boundary, for a length of 6.1 metres measured from the Principal Setback Line within the Lot.
С.	Side Setback Line (East)	Is parallel to and located 1.0 metre from the Side Boundary (East) within the Lot.
		A portion of one (1) of the Side Setback Lines (East or West) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.
d.	Side Setback Line (West)	Is parallel to and located 1.0 metre from the Side Boundary (West) within the Lot.
		A portion of one (1) of the Side Setback Lines (East or West) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.
е.	Rear Setback Line	Is located on the Rear Boundary within the Lot.
f.	Build-to-Line (BTL) Location	Yes. BTL 1) is parallel to and located 2.7 metres from the Principal Boundary within the Lot for a length of 6.3 metres, measured from the Side Setback Line (West) as shown on the Plan.
	DTI Descentage	BTL 2) is parallel to and located 2.7 metres from the Secondary Boundary for a distance of 6.1 metres measured from the Principal Setback Line.
g. h.	BTL Percentage Required Parapet Wall Location	BTL 1) 95% minimum and BTL 2) 100% N/A
7.	Permitted Encroachments	The extent to which any Encroachment can encroach into any setback must take into account the BCA (as amended from time to time) and engineering tolerances and limitations of any retaining walls.
a.	Encroachments in Principal Setback	
	i. Permitted Encroachments into Principal Setback	Verandahs, Pergola, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element.
	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback	2.7 metres measured from the Principal Setback Line.
b.	Encroachments into Secondary Setback	
•••••	i. Permitted Encroachments into Secondary Setback.	Verandahs, Pergola, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element.
	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback	2.7 metres measured from the Secondary Setback Line.
 С.	Encroachments into Side Setback	
	i. Permitted Encroachments into Side Setback (East and West)	Eaves, Shade Devices and Attached Fences.
d.	Encroachments into Rear Setback. i. Permitted Encroachments into Rear Setback	N/A
8.	Frontage/ Principal Elevation Requirem	ents
a. b.	Required Private Frontage Type Permitted Principal Building Elevation	Verandah Straight Front, Projecting Front, a Return
	Types	Verandah, a Projecting Front and a Return Verandah, a Double Return Verandah.

	DESCRIPTION	REQUIREMENT
9.	Garaging, Parking and Vehicle Access	
a.	Garaging required for this minimum	Cottage/ House- 2 bays
 O.	Additional garaging requirement for	Nil
 E.	Ancillary Unit, if provided Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary, Side Boundary (East and
 d.	Permitted Garage Disposition	West) Rear Direct, Rear Side Stack.
10.	Attached Fencing and Sideyard Walling	J
a.	Type required	Attached Fence
11.	Privacy	
a.	Privacy Restrictions on 1st floor and above i. Principal Elevation	e Nil
	ii. Rear Elevation on or adjacent to rear boundary	Nil
••••	iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2.0m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;
		Verandahs, terraces and Balconies to be setback a minimum of 4.5m from a Side Boundary, unless Screened.
	iv. Secondary Elevation v. Side Elevation (East)	N/A Open Outlook
		Openings permitted. Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.
	vi. Side Elevation (West)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless
	vi. Side Elevation (West)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of
	vi. Side Elevation (West)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the
	vi. Side Elevation (West)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening:
	vi. Side Elevation (West)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or
	vi. Side Elevation (West) Specific Design Requirement	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or
		Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or
a.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front,	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah
112. 13.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah
a. 13.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance) Refuse storage enclosures and collection	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah
13. a. b.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance) Refuse storage enclosures and collection Required Bin Storage Required Bin Collection Point Location	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah Storage for 3 bins provided within the Lot and screened from public view
a	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance) Refuse storage enclosures and collection Required Bin Storage Required Bin Collection Point Location (required by the City of Wanneroo)	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah Storage for 3 bins provided within the Lot and screened from public view Yes as per ILP. Refer - Private Realm Operative
13. a.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance) Refuse storage enclosures and collection Required Bin Storage Required Bin Collection Point Location (required by the City of Wanneroo) Landscaping + Street Trees	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah Storage for 3 bins provided within the Lot and screened from public view Yes as per ILP. Refer - Private Realm Operative Provisions Refer - Private Realm Operative
13. a. b.	Specific Design Requirement Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance) Refuse storage enclosures and collection Required Bin Storage Required Bin Collection Point Location (required by the City of Wanneroo) Landscaping + Street Trees External Fixtures Design Outcomes – Additional	Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened. Restricted Outlook Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: is a Celestial Window; or is Screened; or is fitted with Opaque Glass. Yes - Corner Treatment or Double Verandah Storage for 3 bins provided within the Lot and screened from public view Yes as per ILP. Refer - Private Realm Operative Provisions Refer - Private Realm Operative Provisions