

LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 10.0)

LOT 261 TRANSECT 74 LOT TYPE Edge AREA (APPROX M²) 360 LOT FRONTAGE 12m

PASSAGE 10B 2.35m 253 T4 2604 360m² C/H 12m 5.74 17m 9.81 26.25 -10m 10m - - - - - 26.00 7 C F 25m 5m | 10m 15m 20m 0 Scale 1:500 Ö 1

Legend

Building Type				
Cottage Type				
House Type				
Specific Design Requirements (refer to Operative Provision No.12)				
Development Area (Subject to Site Coverage, Setback and BTL requirements refer to Operative Provisions No. 3 and No. 6)				
Required Sideyard Wall (refer to Operative Provision No. 10)				
Build-to-line (BTL) (refer to Operative Provision No. 6)				
Datum and Pad Level (refer Operative Provision No. 5)				
Spot Levels				
Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)				
Entry Steps				
Indicative Retaining Wall Locations				
Retaining Wall Type 2				
No Vehicular Access				
Indicative Services Area				
Principal Boundary				
Secondary Boundary				
Side Boundary (West)				
Side Boundary (North)				
Rear Boundary				

Lot 261 forms part of Local Development Plan (LDP) 10.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 261. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

Specific Requirements

ative
ative
ative

DESCRIPTION	REQUIREMENT
Plinths	
Is a Plinth required for this Lot?	Yes
Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall and stairs as shown on Plan
Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No
Required building element to attach to the Plinth	Verandah
Building Heights	
Maximum No of Storeys	2 storeys plus loft
Maximum Height	7.5 metres
Lot Datum (from which Building Height is measured)	25.90 AHD/ 26.50 AHD
	Plinths Is a Plinth required for this Lot? Has a Plinth been provided by the Jindee Developer and, if so, what type? Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall) Required building element to attach to the Plinth Building Heights Maximum No of Storeys Maximum Height Lot Datum (from which Building

ГЕМ	DESCRIPTION	REQUIREMENT
	Setbacks and Build-to-Lines	
	Principal Setback Line	Is parallel to and located 2.35 metres from the Principal Boundary, for a length of 30.0 metres measured from the Secondary Boundary within the Lot.
• • • • ·	Secondary Setback Line (South)	Is parallel to and located on the Secondary Boundary (South), for a length of 6.5 metres measured from the Principal Setback Line within the Lot.
	Side Setback Line (North)	Is parallel on the Side Boundary (North) within the Lot.
d.	Side Setback Line (West)	3a) is parallel to and located 1.0 metre from the Side Boundary (West) for a length of 13 metres measured from the Rear Boundary, within the Lot.
		3b) is parallel to and located 3.2 metres from the Side Boundary (West) for a length of 8.2 metres measured from the Principal Boundary, within the Lot.
		A portion of the Side Setback Line (3a) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.
	Rear Setback Line	Is located on the Rear Boundary within the Lot.
f. I	Build-to-Line (BTL) Location	Yes. BTL 1) is parallel to and located on the Secondary Boundary within the Lot for a length of 6.5 metres, measured from the Principal Setback Line as shown on the Plan.
		BTL 2) is parallel to and located 2.35 metres from the Principal Boundary for a distance of 30 metres measured from the Secondary Boundary.
ļ.	BTL Percentage Required Parapet Wall Location Permitted Encroachments	BTL 1) 95% minimum and BTL 2) 95% N/A The extent to which any Encroachment can encroach into any setback must take into account the BCA (as amended from
		time to time) and engineering tolerances and limitations of any retaining walls.
	Encroachments in Principal Setback	•••••••••••••••••••••••••••••••••••••••
	i. Permitted Encroachments into Principal Setback	Verandahs, Projecting Fronts, Balconies, Eaves, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps.
	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback	2.35 metres measured from the Principal Setback Line.
	Encroachments into Secondary Setback	•••••••••••••••••••••••••••••••••••••••
). • • • • • •	i. Permitted Encroachments into	N/A
	 Permitted Encroachments into Secondary Setback. 	N/A N/A
	 Permitted Encroachments into Secondary Setback. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback Permitted Encroachments into Side Setback (North) 	N/A N/A
	 Permitted Encroachments into Secondary Setback. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback Permitted Encroachments into Side Setback (North) Encroachments into Side Setback Permitted Encroachments into Side Setback (Worth) 	N/A
	 i. Permitted Encroachments into Secondary Setback. ii. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback i. Permitted Encroachments into Side Setback (North) Encroachments into Side Setback i. Permitted Encroachments into Side Setback (West) Encroachments into Rear Setback. i. Permitted Encroachments into Rear 	N/A N/A Eaves, Shade Devices and Attached
1. 	 i. Permitted Encroachments into Secondary Setback. ii. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback i. Permitted Encroachments into Side Setback (North) Encroachments into Side Setback i. Permitted Encroachments into Side Setback (Worth) Encroachments into Side Setback j. Permitted Encroachments into Side Setback (West) Encroachments into Rear Setback. 	N/A N/A Eaves, Shade Devices and Attached Fences. N/A
2. 2. d. 2.	 i. Permitted Encroachments into Secondary Setback. ii. Extent to which Permitted Encroachments may encroach into the Secondary Setback Encroachments into Side Setback i. Permitted Encroachments into Side Setback (North) Encroachments into Side Setback i. Permitted Encroachments into Side Setback (West) Encroachments into Rear Setback. i. Permitted Encroachments into Rear Setback 	N/A N/A Eaves, Shade Devices and Attached Fences. N/A

ITEM	DESCRIPTION	REQUIREMENT
9.	Garaging, Parking and Vehicle Access	
a.	Garaging required for this minimum number of cars	Cottage/ House - 2 bays
b.	Additional garaging requirement for Ancillary Unit, if provided	Nil
с.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary, Side Boundary (North and West)
d.	Permitted Garage Disposition	Rear Direct, Rear Back Court.
10.	Attached Fence and Sideyard Walling Type required	Sideyard Walls
a. 11.	Privacy	
a.	Privacy Restrictions on 1st floor and above	
· · · · · · · · · · · ·	 Principal Elevation Rear Elevation on or adjacent to rear 	Nil Nil
	boundary	
	iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2.0m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;
		 Verandahs, terraces and Balconies to be setback a minimum of 4.5m from a Side Boundary, unless
· · · · · · · · ·	in Coppedant Florenting	Screened.
•••••	iv. Secondary Elevationv. Side Elevation (North)	Nil Open Outlook
		Openings permitted.
		 Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.
	vi. Side Elevation (West)	Restricted Outlook Openings to be setback a minimum of
		4.5m from the Side Boundary unless the Opening:
		• is a Celestial Window; or
		is Screened; or
12.	Specific Design Requirement	 is fitted with Opaque Glass.
a.	Is there a Specific Design Requirement	Yes -Two required (mandated) SDR's.
	applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	SDR 1) Is mandated being a Gable End.
		SDR 2) Is mandated being a Gable End to the same width and height as SDR 1.
		On Lot 261 each Projecting Front is required to have a minimum width of 4.0 metres, and not exceed 6.0 metres. Each Projecting Front is required to be setback a minimum of 3.0 metres, and not exceed 4.0 metres from each end of the Principal Elevation with a Gable End that is the same for each projection. The width, height and setback of each Projecting Front are required to mirror each other.
13.	Refuse storage enclosures and collection	n
a.	Required Bin Storage	Storage for 3 bins provided within the Lot and screened from public view
b.	Required Bin Collection Point Location (required by the City of Wanneroo)	Yes as per ILP.
14.	Landscaping + Street Trees	Refer - Private Realm Operative Provisions
15.	External Fixtures	Refer - Private Realm Operative Provisions
16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions
17.	Exemptions to Planning Approval	Refer - Private Realm Operative Provisions
18.	No modification of building elements provided by Jindee Developer without Consent	Refer - Private Realm Operative Provisions