

## LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 10.0)

LOT 283

TRANSECT 14

LOT TYPE Corner

AREA (APPROX M²) 401

LOT FRONTAGE 15.5m



## Legend

## **Building Type**

- c Cottage Type
- H House Type



Specific Design Requirements (refer to Operative Provision No.12)

Development Area (Subject to Site Coverage, Setback and BTL requirements refer to Operative Provisions No. 3 and No. 6)

Build-to-line (BTL) (refer to Operative Provision No. 6)

27.47 Datum and Pad Level (refer Operative Provision No. 5)

+26.00 Spot Levels

Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Entry Steps

Indicative Retaining Wall Locations

--- Retaining Wall Type 2

— No Vehicular Access

Indicative Services Area

1 Principal Boundary

2 Secondary Boundary

3 Side Boundary (North)4 Side Boundary (South)

• Side bodinadiy (5

5 Rear Boundary

\*- Proposed Light Pole Location

Lot 283 forms part of Local Development Plan (LDP) 10.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 283. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

## **Specific Requirements**

ITEM	DESCRIPTION	REQUIREMENT		
1	Site Works			
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions		
b.	Stormwater Management	Refer - Private Realm Operative Provisions		
C.	Retaining Walls	Refer - Private Realm Operative Provisions		
2	Number of Dwellings on Lot			
a.	Maximum Number of Single Residential Dwellings	One (1)		
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A		
С.	Ancillary Unit	Permitted		
3	<b>Dwelling Controls</b>			
a.	Maximum Lot Coverage	75%		
b.	Permitted Building Type	Cottage, House		
С.	Lot Type Designation	Corner Lot		
d.	Permitted Building Dispositions	Edgeyard, Courtyard		
е.	Required Terrace Grouping	N/A		

ITEM	DESCRIPTION	REQUIREMENT	
4	Plinths		
а.	Is a Plinth required for this Lot?	Yes	
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall and stairs as shown on Plan	
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No	
d.	Required building element to attach to the Plinth	Verandah	
5	Building Heights		
a.	Maximum No of Storeys	2 storeys plus loft	
b.	Maximum Height	7.5 metres	
C.	Lot Datum (from which Building Height is measured)	24.47 AHD	

ITEM	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT
6	6 Setbacks and Build-to-Lines			Frontage/ Principal Elevation Requir	rements
a.	Principal Setback Line	Is parallel to and located 2.35 metres from the Principal Boundary, for a	a.	Required Private Frontage Type	Verandah
		length of 12.15 metres measured from the Secondary Setback Line within the Lot.	b.	Permitted Principal Building Elevation Types	Double Return Verandah, a Return Verandah, a Projecting Front and a
b. S	Secondary Setback Line	Is parallel to and located 2.35 metres from the Secondary Boundary, for a length of 9.45 metres measured from the Principal Setback Line within	9.	Garaging, Parking and Vehicle Access	Return Verandah.
			a.	Garaging required for this minimum number of cars	Cottage/ House - 2 bays
 С.	Side Setback Line (North)	Is parallel to and located on the Side	b.	Additional garaging requirement for Ancillary Unit, if provided	Nil
d. S	Side Setback Line (South)	Boundary (North) within the Lot.  Is parallel to and located 1.0 metre from the Side Boundary (South) within the Lot.  A portion of the Side Setback Line (South) may be located on the relevant Side Boundary, for a distance of up to 8.0 metres measured from	C.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary, Side Boundary (North and South).
			d.	Required Garage Disposition	Rear Direct, Rear Side Stack.
			10.	Attached Fence and Sideyard Wallin	g
			a. 11.	Type required  Privacy	Attached Fence
	D. C.I. III	the Rear Boundary.		Privacy  Privacy Restrictions on 1st floor and about	01/0
e	Rear Setback Line	Is located on the Rear Boundary within the Lot.	a. •••••	i. Principal Elevation	Nil
f.	Build-to-Line (BTL) Location	Yes. BTL 1) is parallel to and located 2.35 metres from the Principal Boundary within the Lot for a length		ii. Rear Elevation on or adjacent to rear boundary	Nil
		of 12.65 metres, measured from the Side Setback Line (South) as shown on the Plan.  BTL 2) is parallel to and located 2.35 metres from the Secondary Boundary for a distance of 9.45 metres measured from the Principal Cathod-line		iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2.0m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;
g. h.	BTL Percentage  Required Parapet Wall Locaiton	Setback Line.  BTL 1) 80% minimum and BTL 2) 100%.  N/A			Verandahs, terraces and     Balconies to be setback a     minimum of 4.5m from a Side     Boundary, unless Screened.
7.	Permitted Encroachments	The extent to which any Encroachment can encroach into any setback must take into account the BCA (as amended from time to time) and engineering tolerances and limitations of any retaining walls.		iv. Secondary Elevation  v. Side Elevation (North)  vi. Side Elevation (South)	Nil  Restricted Outlook  Openings to be setback a minimum
a.	Encroachments in Principal Setback i. Permitted Encroachments into Principal Setback	Verandahs, Pergola, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element.	12.	Specific Design Requirement	of 4.5m from the Side Boundary unless the Opening:  is a Celestial Window; or  is Screened; or  is fitted with Opaque Glass.
	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback	2.35 metres measured from the Principal Setback Line.	a.	Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner	Yes - Corner Treatment For Lot 283, the receding portion
b.	Encroachments into Secondary Setbac i. Permitted Encroachments into Secondary Setback.	verandahs, Pergola, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the		Treatment, Projecting Front, Laneway Surveillance)	of the permitted principal building elevation type is not contained within the Principal Building Envelope, and is located within the Encroachment Zone.
		principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a	13.	Refuse storage enclosures and collection	ction
•••••	ii. Extent to which Permitted	Terminating Vista Element.  2.35 metres measured from the	a.	Required Bin Storage	Storage for 3 bins provided within the Lot and screened from public view
 C.	Encroachments may encroach into the Secondary Setback Encroachments into Side Setback	Secondary Setback Line.	b.	Required Bin Collection Point Location (required by the City of	Yes as per LDP 9.
	i. Permitted Encroachments into Side Setback (North)	N/A	14.	Wanneroo)  Landscaping + Street Trees	Refer - Private Realm Operative Provisions
d.	Encroachments into Side Setback	•••••	15.	External Fixtures	Refer - Private Realm Operative
	i. Permitted Encroachments into Side Setback (South)	Eaves, Shade Devices and Attached Fences.	16.	Design Outcomes – Additional	Provisions  Refer - Private Realm Operative
е.	Encroachments into Rear Setback.  i. Permitted Encroachments into	N/A	17.	Requirements + Controls  Exemptions to Planning Approval	Provisions  Refer - Private Realm Operative
	Rear Setback	14/7			Provisions
			18.	No modification of building elements provided by Jindee Developer without Consent	Refer - Private Realm Operative Provisions