


LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 2.0)





Legend

Building Type

- C Cottage
- H House
- APT Apartment House

Specific Design Requirements (refer to Operative Provision No.12)

Development Area Subject to Site Coverage, Setback and BTL requirements (refer to Operative Provisions No. 3 and No. 6)

29.61 Datum and Pad Level (refer Operative Provision No. 5)

♦29.53 Spot Levels

Zone in which Verandahs and other Enchroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Build-to-line (BTL) (refer to Operative Provision No. 6)

Indicative Retaining Wall Locations

Entry Steps

— No Vehicular Access

Indicative Services Area

1 Principal Boundary

2 Secondary Boundary (North)

3 Side Boundary (East)

4 Side Boundary (South)

Rear Boundary

Lot 403 forms part of Local Development Plan (LDP) 2.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 403. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

Specific Requirements

ITEM	DESCRIPTION	REQUIREMENT	
1	Site Works		
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions	
b.	Stormwater Management	Refer - Private Realm Operative Provisions	
C.	Retaining Walls	Refer - Private Realm Operative Provisions	
2	Number of Dwellings on Lot		
a.	Maximum Number of Single Residential Dwellings	One (1)	
b.	Maximum Number of Dwellings Permitted for an Apartment House	As determined by the extent of development provisions contained in the LDP.	
С.	Ancillary Unit	Permitted	
3	Dwelling Controls		
a.	Maximum Lot Coverage	80%	
b.	Permitted Building Types	Cottage, House, Apartment House	
С.		Edge Lot	
d.	Permitted Building Dispositions		
e.	Required Terrace Grouping	N/A	

ITEM	DESCRIPTION	REQUIREMENT
4	Plinths	
a.	Is a Plinth required for this Lot?	Yes
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall as shown on Plan
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No
d.	Required building element to attach to the Plinth	Verandah
5	Building Heights	
a.	Maximum No of Storeys	2 storeys plus loft
b.	Maximum External Wall Height	7.5 metres
С.	Lot Datum (from which Building Height is measured)	29.61 AHD

ITEM	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT	
6	6 Setbacks and Build-to-Lines			9. Garaging, Parking and Vehicle Access		
a.	Principal Setback Line	Is parallel to and located 2.35 metres from the Principal Boundary within the Lot.	a.	Garaging required for this minimum number of cars	House/ Cottage - 2 bays Apartment House -	
b.	Secondary Setback Line (North)	Is parallel to and located 2.35 metres from the Secondary Boundary within the Lot.	b.	Additional garaging requirement for	1 bay/ 1 bedroom dwelling 2 bays/ 2+ bedroom dwelling Nil	
С.	Side Setback Line (South)	Is parallel to and located 1.0 metre from the Side Boundary (South) within the Lot. A portion of the Side Setback Line	 C.	Ancillary Unit Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary, Rear Boundary and a portion of the Side Boundary	
		(South) may be located on the Side Boundary, for a distance of up to 6 metres measured from the western extent of the Rear Boundary.	d.	Permitted Garage Disposition	(South) Rear Direct, Rear Side Stack, Rear Side Court, Rear Back Court	
d.	Side Setback Line (East)	Is located on the Side Boundary (East)	10. a.	Fencing and Walling Type of Fencing required	Attached	
e.	Rear Setback Line	Is located on the Rear Boundary for	11.	Privacy		
	•••••	the extent of the laneway	a.	Privacy Restrictions on 1st floor and	above	
f.	Build-to-Line (BTL) Location	Yes. 1) Is parallel to and located 2.35 metres from the Principal Boundary for a length of 10.65m measured from the Side Setback		i. Principal Elevation ii. Rear Elevation on or adjacent to rear boundary	Nil Nil	
		Line (South) within the Lot; and; 2) Is parallel to and located 2.35 metres from the Secondary Boundary for a length of 38.48m measured from the Side Boundary (East) within the Lot.		iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;	
g.	BTL Percentage	(1) 80% minimum and(2) 30% minimum.			Verandahs, terraces and Balconies to be setback a The form a Side	
h.	Requirement for a Parapet Wall	N/A			minimum of 4.5m from a Side Boundary, unless Screened.	
7.	Permitted Encroachments		•••••	iv. Secondary Elevation (North)	Nil	
a.	Encroachments in Principal Setback		•••••	v. Side Elevation (South)	Restricted Outlook	
	i. Permitted Encroachments into Principal Setback	Gable End, Verandahs, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element			Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening: • is a Celestial Window; or • is Screened; or	
	ii. Extent to which Permitted Encroachments may encroach	2.35 metres measured from the Principal Setback Line.	•••••	vi. Side Elevation	is fitted with Opaque Glass.	
	into the Principal Setback	••••••••••••••••••••••••••••••••••••••	12.	Specific Design Requirement		
b.	Encroachments into Secondary Seth	•••••	a.	Is there a Specific Design	Yes. SDR 1: Corner Treatment or a	
	 Permitted Encroachments into Secondary Setback. 	Gable End, Verandahs, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a Terminating Vista Element	a.	Requirement applicable to this Lot? (TerminatedVista, CornerTreatment, Projecting Front, Laneway Surveillance)	Gable End with an overall width of 5-7 metres forming the extent of the Secondary Elevation of the Principal Building	
•••••	ii. Extent to which Permitted Encroachments may encroach	2.35 metres measured from the Secondary Boundary Line. An			SDR 2: is a recommended SDR, being a Gable End with an overall external width of 5-7 metres	
	into the Secondary Setback	exception to this is Steps, which are not restricted.			(location of Specific Design Requirement is graphically depicted	
C.	Encroachments into Side Setback	(South)	13.	Refuse storage enclosures and collec	on the attached plan as 'SDR')	
	i. Permitted Encroachments into Side Setback (South)	Walls	a.	Required Bin Storage	Storage for 2 bins provided within	
	ii. Extent to which Permitted Encroachments may encroach into a Side Setback (South)	Restricted by the BCA and the tolerances of any retaining walls	b.	Required Bin Collection Point	the Lot and screened from public view Yes	
d.	Encroachments into Rear Setback ar		ο.	Location (required by the City of	res	
	i. Permitted Encroachments	N/A	14.	Wanneroo) Landscaping + Street Trees	Refer - Private Realm Operative Provisions	
	ii. Extent to which Permitted Encroachments may encroach into a Rear Setback	N/A	15.	External Fixtures	Refer - Private Realm Operative Provisions	
8.	Frontage/ Principal Elevation Requir	ements	16.	Design Outcomes – Additional	Refer - Private Realm Operative	
a.	Required Private Frontage Type	Verandah.	17.	Requirements + Controls Exemptions to Planning Approval	Provisions Refer - Private Realm Operative	
b.	Permitted Principal Building Elevation Types	Projecting Front and Return Verandah, Return Verandah, Double Return Verandah, Double Verandah.			Provisions	
			18.	No modification of building elements provided by Jindee Developer without Consent	Refer - Private Realm Operative Provisions	