


LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 2.0)

LOT 409 **RELEASE** 3 (North) **TRANSECT** T4 **LOT TYPE** Edge AREA (APPROX M²) 407 LOT FRONTAGE 13.8m



Legend

Building Type

- С Cottage
- (SDR)

Specific Design Requirements (refer to Operative Provision No.12)

Development Area Subject to Site Coverage, Setback and BTL requirements (refer to Operative Provisions No. 3 and No. 6)

25.97 Datum and Pad Level (refer Operative Provision No. 5)

\$25.95 Spot Levels

Zone in which Verandahs and other Enchroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Build-to-line (BTL) (refer to Operative Provision No. 6)

Indicative Retaining Wall Locations

Entry Steps

No Vehicular Access

Indicative Services Area

Principal Boundary

Secondary Boundary

Side Boundary (North)

Side Boundary (South)

Rear Boundary

Lot 409 forms part of Local Development Plan (LDP) 2.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 409. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

Specific Requirements

ITEM	DESCRIPTION	REQUIREMENT	
1	Site Works		
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions	
b.	Stormwater Management	Refer - Private Realm Operative Provisions	
С.	Retaining Walls	Refer - Private Realm Operative Provisions	
2	Number of Dwellings on Lot		
a.	Maximum Number of Single Residential Dwellings	One (1)	
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A	
С.	Ancillary Unit	Permitted	
3	Dwelling Controls		
a.	Maximum Lot Coverage	75%	
b.	Permitted Building Types	House, Cottage	
с.	Lot Type Designation	Edge Lot	
d.	Permitted Building Dispositions	• • • • • • • • • • • • • • • • • • • •	
e.	Required Terrace Grouping	N/A	

ITEM	DESCRIPTION	REQUIREMENT
4	Plinths	
а.	Is a Plinth required for this Lot?	Yes
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall as shown on Plan
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No
d.	Required building element to attach to the Plinth	Verandah
5	Building Heights	
a.	Maximum No of Storeys	2 storeys plus loft
b.	Maximum External Wall Height	7.5 metres
С.	Lot Datum (from which Building Height is measured)	25.97 AHD

ITEM	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT
6	Setbacks and Build-to-Lines		9.	Garaging, Parking and Vehicle Access	
a.	Principal Setback Line	Is parallel to and located 2.35 metres from the Principal Boundary within	a.	Garaging required for this minimum number of cars	2
b.	Secondary Setback Line	the Lot. Is parallel to and located 3.35 metres from the Secondary	b.	Additional garaging requirement for Ancillary Unit	Nil
	Side Setback Line (North)	Boundary within the Lot. Is parallel to and located 1.0 metre	C.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary and Side Boundary (North and South)
C.	Side Setoden Line (NOTH)	from the Side Boundary (North) within the Lot.	d.	Permitted Garage Disposition	Rear Direct, Rear Side Stack, Rear Back Court.
		A portion of one (1) of the Side Setback Lines (either North or South) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear	10.	Fencng and Walling	
			a. 11.	Type of fencing required Privacy	Attached
	Cide Cale and City (C. 11)	Boundary.	a.	Privacy Restrictions on 1st floor and a	• • • • • • • • • • • • • • • • • • • •
d.	Side Setback Line (South)	Is parallel to and located 1.0 metre from the Side Boundary (South) within the Lot.	•••••	Principal Elevation Rear Elevation on or adjacent to rear boundary	Nil Nil
		A portion of one (1) of the Side Setback Lines (either North or South) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.		iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or
е.	Rear Setback Line	Is located on the Rear Boundary			opaque glass windows;Verandahs, terraces and
f.	Build-to-Line (BTL) Location	Yes. 1) Is parallel to and located 2.35 metres from the Principal Boundary for a length of 9.45 metres measured from the Side Setback Line (North) and; 2) Is parallel to and located 3.35 metres from the Secondary Boundary, for a length of 3.8 meters measured from the Principal Setback Line within the Lot.			Balconies to be setback a minimum of 4.5m from a Side Boundary, unless Screened.
			•••••	iv. Secondary Elevation	N/A
			•••••	v. Side Elevation (North)	Open Outlook.
					Openings permitted.
••••					 Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.
g.	BTL Percentage	1) 80% minimum 2) 100% minimum	•••••	vi. Side Elevation (South)	Restricted Outlook
h.	······································				Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening:
7. a.	Permitted Encroachments Encroachments in Principal and Seco	ndary Sothacks			is a Celestial Window; or
a. ••••••	i. Permitted Encroachments	Verandahs, Balconies, Eaves,			• is Screened; or
	into Principal and Secondary Setbacks	Projecting Fronts, Bay Windows, Portico to define the principal entrance, Plinths or Piers for the Verandah, Steps, Towers, a	12.	Specific Design Requirement	is fitted with Opaque Glass.
			a.	Is there a Specific Design Requirement applicable to this	Yes - the SDR is a Return Verandah which is to return perpendicular from the Principal
•••••	ii. Extent to which Permitted Encroachments may encroach into the Principal and Secondary Setback	Terminating Vista Element. Principal Setback - 2.35 metres measured from the Principal Setback Line as depicted on the Plan.	back - 2.35 metres Lot? (Terminated Vista, Co Treatment, Projecting Fron om the Principal Setback Surveillance)		Boundary for at least 3.8 metres together
		Secondary Setback - 2.35 metres measured from the Secondary Setback Line as depicted on the Plan. An exception to this is Steps, which			measured from the Principal Elevation or BTL and, for the purposes of this Provision, Landscaping has the meaning attributed to it in the Architectural Standards.
		are not restricted.	13.	Refuse storage enclosures and collect	
b.	Encroachments into Side Setback i. Permitted Encroachments into	(North and South) Eaves, Shade Devices and Attached	a.	Required Bin Storage	Storage for 2 bins provided within the Lot and screened from public
•••••	ii. Extent to which Permitted Encroachments may encroach into Side Setbacks North and	Walls. Restricted by the BCA and the tolerances of any retaining walls.	b.	Required Bin Collection Point Location (required by the City of Wanneroo)	Yes
•••••	South)		14.	Landscaping + Street Trees	Refer - Private Realm Operative
C.	i. Permitted Encroachments into Rear Setback. Rear Setback	N/A	15.	External Fixtures	Refer - Private Realm Operative Provisions
•••••	ii. Extent to which Permitted Encroachments may encroach	N/A	16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions
	into a Rear Setback		17.	Exemptions to Planning Approval	Refer - Private Realm Operative Provisions
8.	Principal Elevation Require		18.	No modification of building	Refer - Private Realm Operative
a. b.	Required Private Frontage Type Permitted Principal Building Elevation Types	Verandah. Return Verandah, Projecting Front and Return Verandah, Double Return		elements provided by Jindee Developer without Consent	Provisions