

## LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 9.0)

LOT 277

RELEASE 3 (South)

TRANSECT T4

LOT TYPE Corner

AREA (APPROX M²) 417

LOT FRONTAGE 13.9m




## Legend

## **Building Type**

- c Cottage
- H House



Specific Design Requirements (refer to Operative Provision No.12)



[27.83] Datum and Pad Level (refer Operative Provision No. 5)

+27.50 Spot Levels

Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Build-to-line (BTL) (refer to Operative Provision No. 6)

Indicative Retaining Wall Locations

— — No Vehicular Access

Indicative Services Area

1 Principal Boundary

2 Secondary Boundary

3 Side Boundary (North)

4 Side Boudary (South)5 Rear Boundary

Proposed light pole location

Lot 277 forms part of Local Development Plan (LDP) 9.0. The Private Realm Operative Provisions, together with the Individual Lot Plan ('ILP'), prescribe the specific design requirements applicable to the development of Lot 277. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

## **Specific Requirements**

Scale 1:500 |

ITEM	DESCRIPTION	REQUIREMENT	
1	Site Works		
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions	
b.	Stormwater Management	Refer - Private Realm Operative Provisions	
C.	Retaining Walls	Refer - Private Realm Operative Provisions	
2	Number of Dwellings on Lot		
a.	Maximum Number of Single Residential Dwellings	One (1)	
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A	
C.	Ancillary Unit	Permitted	
3	Dwelling Controls		
a.	Maximum Lot Coverage	75%	
b.	Permitted Building Types	Cottage/ House	
C.	Lot Type Designation	Corner Lot	
d.	Permitted Building Dispositions	Edgeyard, Courtyard	
е.	Required Terrace Grouping	N/A	

ITEM	DESCRIPTION	REQUIREMENT			
4	Plinths				
a.	Is a Plinth required for this Lot?	Yes			
b.	Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall and stairs as shown on Plan			
C.	Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No			
d.	Required building element to attach to the Plinth	Verandah			
5	<b>Building Heights</b>				
a.	Maximum No of Storeys	2 storeys plus loft.			
b.	Maximum Height	7.5 metres			
C.	Lot Datum (from which Building Height is measured)	27.83 AHD			

ITEM	DESCRIPTION	REQUIREMENT	ITEM	DESCRIPTION	REQUIREMENT
6	Setbacks and Build-to-Lines		8.	Frontage/ Principal Elevation Require	ments
a.	Principal Setback Line	Is parallel to and located 2.35 metres from the Principal Boundary within	a.	Required Private Frontage Type	Verandah
b.	Secondary Setback Line	the Lot.  Is parallel to and located 3.9 metres from the Secondary Boundary for a length of 7.936 metres measured from the Principal Setback Line within	b.	Permitted Principal Building Elevation Types  Gazaging Parking and Vehicle Access	A Return Verandah, a Projecting Front and a Return Verandah, a Double Return Verandah and a Double Projecting Front.
C.	Side Setback Line (North)	the Lot.  Is parallel to and located 1.0 metre from the Side Boundary (North)	<b>9.</b> a.	Garaging, Parking and Vehicle Access  Garaging required for this minimum number of cars	Cottage/ House - 2 bays
		within the Lot.  A portion of one (1) of the Side Setback Lines (North or South) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.	b. c. d.	Additional garaging requirement for Ancillary Unit, if provided Lot boundaries where Vehicle Access is prohibited Permitted Garage Disposition	Nil  Principal Boundary, Secondary Boundary, Side Boundary (North and South)  Rear Direct, Rear Side Stack.
d.	Side Setback Line (South)	Is parallel to and located 1.0 metre from the Side Boundary (South) within the Lot.  A portion of one (1) of the Side Setback Lines (North or South) may be located on the relevant Side Boundary, for a distance of up to 12 metres measured from the Rear	10.	Attached Fence and Sideyard Walling	
G.	Side Secondaria (South)		a. <b>11.</b>	Type required  Privacy	Attached Fence
			a	Privacy Restrictions on 1st floor and abov  i. Principal Elevation  ii. Rear Elevation on or adjacent to rear boundary	e Nil Nil
e.	Rear Setback Line	Boundary.  Is located on the Rear Boundary	•••••	iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be
f.	Build-to-Line (BTL) Location	within the Lot.  Yes. BTL 1. Is parallel to and located 2.35 metres from the Principal Boundary within the Lot for a length of 9.0 metres measured from the Side Setback Line North as shown on the Plan.			setback 2.0m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows;  Verandahs, terraces and Balconies to be setback a minimum of 4.5m from a Side Boundary, unless
		BTL 2. Is parallel to and located 3.9 metres from the Secondary Boundary within the Lot for a length of 7.936 metres measured from the Principal Setback Line as shown on the Plan.	•••••	iv. Secondary Elevation v. Side Elevation (North)	Screened.  N/A  Open Outlook  Openings permitted.
g.	BTL Percentage	1. 90% minimum. 2. 100% minimum.			Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.
h	Required Parapet Wall Location  Permitted Encroachments	N/A  The extent to which any Encroachment can encroach into any setback must take into account of the BCA and engineering tolerances and limitations of any retaining walls.	•••••	vi. Side Elevation (South)	Restricted Outlook  Openings to be setback a minimum of 4.5m from the Side Boundary unless the Opening:
a.	Encroachments in Principal Setback				• is a Celestial Window; or
•••••	i. Permitted Encroachments into Principal Setback	Verandahs, Balconies, Eaves, Projecting Fronts, Bay Windows, Plinths or Piers for the Verandah, Steps.	12.	Specific Design Requirement	<ul><li>is Screened; or</li><li>is fitted with Opaque Glass.</li></ul>
b.	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback Encroachments into Secondary Setbaci	2.35 metres measured from the Principal Setback Line.	a.	Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	Yes. SDR 1. Corner Treatment.  SDR 2. Terminating Vista - Feature Tree.  Garage and Crossover placement is to ensure retention of existing
	<ol> <li>Permitted Encroachments into Secondary Setback.</li> </ol>	Verandahs, Balconies, Eaves or Bay Windows.	12	Defuse stores and equipment and callest	feature tree in laneway.
•••••	ii. Extent to which Permitted Encroachments may encroach	2.35 metres measured from the	13. a.	Refuse storage enclosures and collections Required Bin Storage	Storage for 2 bins provided within the
	into the Secondary Setback	Secondary Setback Line. An exception to this is Steps, which are not restricted.	b.	Required Bin Collection Point Location	Lot and screened from public view N/A
С.	Encroachments into Side Setback i. Permitted Encroachments into	Eaves, Shade Devices and Attached	14.	(required by the City of Wanneroo)  Landscaping + Street Trees	Refer - Private Realm Operative Provisions
d.	Side Setback (North and South)  Encroachments into Rear Setback.	Fences.	15.	External Fixtures	Refer - Private Realm Operative Provisions
•••••	i. Permitted Encroachments into Rear Setback	N/A	16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions
			17.	Exemptions to Planning Approval	Refer - Private Realm Operative Provisions
			18.	No modification of building elements provided by Jindee Developer without Consent	Refer - Private Realm Operative Provisions