

LOCAL DEVELOPMENT PLAN INDIVIDUAL LOT PLAN (LDP No. 9.0)





Legend

Building Type

- c Cottage
- H House
- Development Area Subject to Site Coverage, Setback and BTL requirements (refer to Operative Provisions No. 3 and No. 6)

[27.57] Datum and Pad Level (refer Operative Provision No. 5)

♦27.50 Spot Levels

Permitted Encroachment Zone - Zone in which Verandahs and other Encroachments will be permitted in the Principal Setback (refer to Operative Provision No. 7)

Build-to-line (BTL) (refer to Operative Provision No. 6)

Indicative Retaining Wall Locations

Entry Steps

— No Vehicular Access

Indicative Services Area

Principal Boundary

2 Secondary Boundary (South)

3 Side Boundary (North)

4 Rear Boundary

Lot 281 forms part of Local Development Plan (LDP) 9.0. The Private Realm Operative Provisions, together with the Individual Lot Plan (ILP'), prescribe the specific design requirements applicable to the development of Lot 281. Provisions that are stated as 'Required' are mandatory. Provisions that are stated as 'Permitted' are optional. Definitions for terms used in this ILP are provided in the Jindee Design Code (Agreed Structure Plan No 84) and in the supporting LDP report.

Specific Requirements

ITEM	DESCRIPTION	REQUIREMENT
1	Site Works	
a.	Maximum Lot Level	Refer - Private Realm Operative Provisions
b.	Stormwater Management	Refer - Private Realm Operative Provisions
C.	Retaining Walls	Refer - Private Realm Operative Provisions
2	Number of Dwellings on Lot	
a.	Maximum Number of Single Residential Dwellings	One (1)
b.	Maximum Number of Dwellings Permitted for an Apartment House	N/A
C.	Ancillary Unit	Permitted
3	Dwelling Controls	
a.	Maximum Lot Coverage	80%
b.	Permitted Building Type	Cottage, House
C.	Lot Type Designation	Edge
d.	Permitted Building Dispositions	Edgeyard, Courtyard
e.	Required Terrace Grouping	N/A

DESCRIPTION	REQUIREMENT
Plinths	
Is a Plinth required for this Lot?	Yes
Has a Plinth been provided by the Jindee Developer and, if so, what type?	Yes - Retaining Wall as shown on Plan
Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall)	No
Required building element to attach to the Plinth	Verandah attached to the internal stair retaining wall for the extent of the Principal elevation or Terrace with Pergola attached to the Principal Boundary retaining wall.
Building Heights	
Maximum No of Storeys	2 storeys plus loft
Maximum Height	7.5 metres
Lot Datum (from which Building Height is measured)	27.57 AHD
	Plinths Is a Plinth required for this Lot? Has a Plinth been provided by the Jindee Developer and, if so, what type? Will the Lot Owner have to provide a Plinth and, if so, the type of Plinth required (Piers and Infill, Wall, Retaining wall) Required building element to attach to the Plinth Building Heights Maximum No of Storeys Maximum Height Lot Datum (from which Building

ITEM	DESCRIPTION	REQUIREMENT
6	Setbacks and Build-to-Lines	
	Principal Setback Line	Is parallel to and located 3.9 metres
a.	riiicipai setback Liile	from the Principal Boundary within the Lot.
b.	Secondary Setback Line	Is located on the Secondary Boundary within the Lot
C.	Side Setback Line (North)	Is parallel to and located 1.0 metre from the Side Boundary (North) within the Lot.
		A portion of the Side Setback Line (North) may be located on the Side Boundary, for a distance of up to 12 metres measured from the Rear Boundary.
d.	Side Setback Line	N/A
•••. е.	Rear Setback Line	Is located on the Rear Boundary
		within the Lot.
f.	Build-to-Line (BTL) Location	Yes. Is parallel to and located 3.9 metres from the Principal Boundary within the Lot for a length of 11 metres, measured 1.0 metre from the Side Boundary (North) as shown on the Plan.
g.	BTL Percentage	80% minimum.
 h.	Required Parapet Wall Locaiton	N/A
• • • • • • • •	Permitted Encroachments	The extent to which any
7.	remitted Encloachments	Encroachment can encroach into any setback must take into account of the BCA and engineering
		tolerances and limitations of any retaining walls.
	Encroachments in Principal Setback Permitted Encroachments into Principal Setback	Verandahs, Pergolas, Balconies, Eaves, Projecting Fronts, Bay Windows, Portico to define the principal entrance, Gatehouse, Plinths or Piers for the Verandah, Steps.
•••••	ii. Extent to which Permitted Encroachments may encroach into the Principal Setback	3.9 metres measured from the Principal Setback Line within the area shown as Encroachment Zone on the Plan. An exception to this is Steps, which are not restricted.
	Encroachments into Secondary Setba	• • • • • • • • • • • • • • • • • • • •
•••••	••••••••••••	N/A
		•••••
•••••	Encroachments into Side Setback Permitted Encroachments into	Eaves, Shade Devices and Attached
	Side Setback (North)	Fences.
d.	i. Permitted Encroachments into	N/A
0	Rear Setback	ukomonte
8.	Frontage/ Principal Elevation Requ	
a.	Required Private Frontage Type	Verandah or Pergola
b.	Permitted Principal Building Elevation Types	Straight Front, Projecting Front*, a Return Verandah, a Projecting Front and a Return Verandah, a Double Return Verandah and a Double Projecting Front.
		*A Projecting Front is only permitted in the Encroachment Zone adjacent to the existing steps. On this Lot a Projecting Front is required to have a Gable End.

ITEM	DESCRIPTION	REQUIREMENT
9.	Garaging, Parking and Vehicle Acc	cess
a.	Garaging required for this minimum number of cars	Cottage/ House - 2 bays
b.	Additional garaging requirement for Ancillary Unit, if provided	Nil
C.	Lot boundaries where Vehicle Access is prohibited	Principal Boundary, Secondary Boundary, Side Boundary (North).
d.	Required Garage Disposition	Rear Direct, Rear Side Stack.
10.	Attached Fence and Sideyard Wal	ling
a.	Type required	Attached Fence
11.	Privacy	
a.	Privacy Restrictions on 1st floor and	above
	i. Principal Elevation	Nil
• • • • • • • • • • • • • • • • • • • •	ii. Rear Elevation on or adjacent to rear boundary	Nil
	iii. Rear elevation internal to a Lot	Openings (other than Balconies, Verandahs or terraces) to be setback 2.0m from Side Boundary unless Screened, or the Opening consists of Celestial Windows or opaque glass windows; Verandahs, terraces and Balconies to be setback a
		minimum of 4.5m from a Side Boundary, unless Screened.
	iv. Secondary Elevation	Nil
•••••	v. Side Elevation (North)	Open Outlook
		Openings permitted.
		 Verandahs, terraces and Balconies to be setback a minimum of 4.5m from the Side Boundary, unless Screened.
• • • • • • •	vi. Side Elevation	N/A
12.	Specific Design Requirement	IV/A
		NI-
a.	Is there a Specific Design Requirement applicable to this Lot? (Terminated Vista, Corner Treatment, Projecting Front, Laneway Surveillance)	No
13.	Refuse storage enclosures and co	llection
а.	Required Bin Storage	Storage for 2 bins provided within the Lot and screened from public view
b.	Required Bin Collection Point Location (required by the City of Wanneroo)	N/A
14.	Landscaping + Street Trees	Refer - Private Realm Operative Provisions
15.	External Fixtures	Refer - Private Realm Operative Provisions
16.	Design Outcomes – Additional Requirements + Controls	Refer - Private Realm Operative Provisions
	Exemptions to Planning	Refer - Private Realm Operative
17.	Approval	Provisions